New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of June 30, 2004 Hispanic NJ Residents

1.	Current HIV/AIDS Category	Adult/Adolescent * Cases %	Pediatric * Cases %	Total Cases %
	AIDS-Any OI AIDS-CD4 Only HIV Only	1229 18 2325 35 3178 47	16 27 0 0 44 73	1245 18 2325 34 3222 47
	Total	6732 100	60 100	6792 100
2.	Current Age * Cases %	3. Race/Eth.	Adult/Adl* Pedia Cases % Cases	% Cases %
	<pre><5 10 0 5-12 50 1 13-19 64 1 20-29 404 6 30-39 2076 31 40-49 2808 41 50+ 1380 20 Unk. 0 0</pre>	White, Not Hispan. Black, Not Hispan. Hispanic Other/Unknown Total	ic 0 0 0 0 60 6732 100 60 0 0	0 0 0 0 0 0 100 6792 100 0 0 0 100 6792 100
4.	Patient Group	Adul Males	t/Adolescent Transmiss % Females %	
	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***	1304 1641 177 573 962	28 0 0 35 537 27 4 0 0 12 961 48 21 509 25	1304 20 2178 33 177 3 1534 23 1471 22
	Total			
			Pediatric Transmissio % Females %	Total %
	Parent at risk/has AIDS/HIV Risk not reported/other***	66 1 0		124 97 # #
	Total		 00 62 100	

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification based on current age at the end of June 2004.
- ** 68 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of June 30, 2004 Hispanic NJ Residents

				Adult/Adoi	lescent*]	Pedi	atric*			Tot	tal	
1.	Disease Ca	, ,	Ca	ses (%)	Deaths (%)	Cases (응)	Death	.s (%)	Cases	(왕)	Deaths	(응)
	PCP Other OI v KS Alone	w/o PCP		2276 (29) 107 (1)	1499 (77) 1550 (68) 78 (74) 1089 (32)	37 (2 103 (7 0 (74)	63 0	(84) (61) (.) (.)	1981 (2379 (107 (3413 (30)	1530 (1613 (78 (1089 (68) 74)
	Total			7740 (100)	4216 (55)	140 (10	00)	94	(67)	7880 (100)	4310 (55)
2.	Age *	Cases	olo	3. Race,	/Eth.	Adult/Adl* Cases %		Pediatr Cases		Total Cases	아		
	Under 5 5-12 13-19 20-29	102 38 43 1451		Blac! Hispa Othe:	anic c/Unknown	0 0		0 0 140 0	0 0 100 0	7880 0	0		
	30-39 40-49 Over 49 Unknown	3616 1881 749 0	24 10	Tota:	 L	7740 100		140	100	7880	100		
	Total	7880	100										
4 .	Patient G	roun			Adu	lt/Adolescent	t Tr	ansmissi	on Modes	**			

4. Patient Group	Adult/Adolescent Transmissic							
	Males	용	Females	8	Total	용		
Maria (MOM)	1566				1566			
Men sex with men (MSM)	1566	27	U	U	1566	20		
Injection drug user (IDU)	2579	44	669	35	3248	42		
MSM/IDU	288	5	0	0	288	4		
Heterosexual contact	522	9	887	47	1409	18		
Risk not reported/other***	875	15	344	18	1219	16		
mo+al	5830	1 0 0	1 9 0 0	1 0 0	7730	1 0 0		

	Pediatric Transmission Modes						
	Males	용	Females	용	Total	용	
Parent at risk/has AIDS/HIV	76	94	65	94	141	94	
Risk not reported/other***	5	6	#	#	9	6	
Total	81	100	69	100	150	100	

[#] indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

 $^{^{\}star}$ Classification at time of AIDS diagnosis.

^{** 10} patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

^{***} Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of June 30, 2004 Hispanic NJ Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Deaths	Case-Fatality Rate
Before 1985	83	80	96%
1985	98	91	93%
1986	190	169	89%
1987	220	207	94%
1988	267	250	94%
1989	341	296	87%
1990	429	358	83%
1991	490	409	83%
1992	610	473	78%
1993	881	572	65%
1994	693	398	57%
1995	683	302	44%
1996	594	198	33%
1997	427	145	34%
1998	285	79	28%
1999	330	89	27%
2000	359	72	20%
2001	298	62	21%
2002	291	37	13%
2003	230	#	#
2004	81	#	#
Total	7880	4310	55%

New Jersey Division of HIV/AIDS Services HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004 Hispanic NJ Residents

1. Age *	Cases	9	2. Race/Ethnicity	Adult/A Cases	Adl*	Pediat Cases	ric* %	Total Cases	ଚ୍ଚ
Under 5	60	2	White, Not Hispanic	0	0		0		
5-12	15	0	Black, Not Hispanic	0	0	0	0	0	0
13-19	86	2	Hispanic	3401	100	75	100	3476	100
20-29	1057	30	Other/Unknown	0	0	0	0	0	0
30-39	1408	41							
40-49	644	19	Total	3401	100	75	100	3476	100
Over 49	206	6							
Unknown	0	0							
Total	3476	100							

3. Patient Group	Ac	lult/Adol	escent Transm	ission 1	Modes **	
	Males	%	Females	%	Total	%
Men sex with men (MSM)	609	27	0	0	609	18
Injection drug user (IDU)	822	36	299	27	1121	33
MSM/IDU	85	4	0	0	85	2
Heterosexual contact	256	11	511	45	767	23
Risk not reported/other***	501	22	318	28	819	24
Total	2273	100	1128	100	3401	100
		Pedia	tric Transmis:	sion Mod	des	
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	39	100	33	92	72	96
Risk not reported/other***	0	0	#	#	#	#
Total	39	100	36	100	75	100

- * Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- ** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of June 30, 2004 Hispanic NJ Residents

1.	Current HI	V/AIDS Ca		2	Adult/Ado Cases	olescent *	Ca	Ped ase	-	ic * %		Case		% 	
	AIDS-Any O AIDS-CD4 O: HIV Only	I nly			4323 3407 3401	39 31 31		14	.3 7 '5	64 3 33		440 341 341	66 14 76	39 30 31	
	Total				11131	100		22		100		113		100	
2.	Age *	Cases			Race/Eth.		Adult Cases	3	용	Ca	ediat ses	ric* %		To Cases	otal %
	Under 5 5-12 13-19 20-29 30-39	174 51 156 2915 4924	2 0 1 26	:	White, No	ot Hispanic ot Hispanic known	:	0 0 31 0	0 0 100 0		0 0	0 0 100 0		0 0 11356 0	0
	40-49 Over 49 Unknown	2262 874 0	20 8 0	1	Total		1113	31	100		225	100		11356	100
	Total	11356	100												
4.	Patient Gr	-				Males	lult/Adoi	les	F	emales	용	on Mode	Total		
	Men sex wi Injection MSM/IDU Heterosexua Risk not re	th men (M drug user al contac eported/c	ISM) (IDU) ther***			2175 3401 373 778 1376	27 42 5 10 17			1398 662	0 32 0 46 22		2175 4369 373 2176 2038	20 39 3 3 5 20	
	Total					8103	100			3028			11131		
						Males	%	atr	F	emales	용	Modes	Total		
	Parent at Risk not re		AIDS/HIV	7		115 5	96 4			98 7	93 7		213	95	
	Total					120	100			105			225		

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification at time of first HIV+/AIDS diagnosis.
- ** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of June 30, 2004 Hispanic NJ Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Cases	Number Known Dead	Case-Fatality Rate
Before 1985	92	83	90%
1985	138	117	85%
1986	267	222	83%
1987	345	282	82%
1988	432	343	79%
1989	591	426	72%
1990	749	502	67%
1991	823	530	64%
1992	1197	525	44%
1993	1050	426	41%
1994	848	311	37%
1995	734	206	28%
1996	722	150	21%
1997	583	117	20%
1998	454	81	18%
1999	473	86	18%
2000	567	58	10%
2001	430	49	11%
2002	411	35	9%
2003	355	15	4%
2004	95	0	0%
Total	11356	4564	40%